

## **BLANK PAGE**



## Indian Standard

## CODE OF PRACTICE FOR JOINTS USED IN WOODEN FURNITURE

(First Reprint FEBRUARY 1986)

UDC 674.2:684.4.041



@ Copyright 1967

INDIAN STANDARDS INSTITUTION MANAK BHAVAN, 9 BAHADUR SHAH ZAFAR MARG NEW DELHI 110002

#### Indian Standard

### CODE OF PRACTICE FOR IOINTS USED IN WOODEN FURNITURE

#### Furniture Sectional Committee, BDC 35

Chairman

Representing

SHRI J. P. J. BILIMORIA

Central Public Works Department

Members

ADDITIONAL DIRECTOR STAND-

ARDS (ARCHITECTURE)

ARCHITECT TO GOVERNMENT OF Mysore

SHRI M. R. BHALLA

SHRI HARCHARAN SINGH NANVA ( Alternate )

Shri F. H. Bhamgara

SHRI K. N. WARDEN ( Alternate )

DR P. C. BISWAS SHRI A. M. CHAKI

SHRI R. K. CHARI SHRI N. GOPALKRISHNAN ( Alternate )

SHRI J. V. DATAR SHRI B. DAYAL

SHRI FEROZE ENGINEER SHRI D. P. WADIA ( Alternate )

SHRI G. N. GIDWANI

SHRI RADHA KRISHAN ( Alternate ) SHRI M. J. JAL

SHRI HIMMATLAL N. KHIRA SHRI JAYANAND N. KHIRA ( Alternate )

SHRI K. S. LAULY SHRI M. L. MAINI SHRI N. T. MATHEW Dr N. L. MITRA

SHRI B. NANDI

SHRI P. N. NATU

SHRI ASHOK C. PATEL

SHRI ARUN C. PATEL ( Alternate )

Research Designs and Standards Organisation (Minis-

try of Railways)

Government of Mysore

Hindustan General Industries Ltd, Delhi

Steel Age Industries Private Ltd. Bombav

Úniversity of Delhi, Delhi

Calcutta Cabinet Makers' and Furnisher's Association, Calcutta

Indian Aluminium Co Ltd, Calcutta

Bharat Scouts and Guides, Poona Small Industries Services Institute, New Delhi

Hyderabad Allwyn Metal Works Ltd, Hyderabad

Directorate General of Supplies and Disposals (Ministry of Industry and Supply)

Godrei and Boyce Manufacturing Co Private Ltd,

Bombay Jayanand Khira and Co Private Ltd, Bombay

Indian Plywood Manufacturing Co Ltd, Dandeli Engineer-in-Chief's Branch, Army Headquarters

Indian Statistical Institute, Calcutta Medical Council of India

Posts and Telegraphs Department

National Council of Educational Research and Training, New Delhi

Chandan Metal Products Private Ltd, Baroda

(Continued on page 2)

INDIAN STANDARDS INSTITUTION MANAK BHAVAN, 9 BAHADUR SHAH ZAFAR MARG NEW DELHI

#### IS: 3845 - 1966

(Continued from page 1)

#### Members

#### Representing

SHRI A. C. SEKHAR SHRI C. SESHACHALAM Forest Research Institute and Colleges, Dehra Dun Curzon and Co, Madras

SHRI J. D. SHASTRI

Indian Institute of Architects, Bombay

SHRI C. D. SHARMA ( Alternate )
SHRI N. VENKATARAMAN

The Western Indian Plywoods Ltd, Cannanore District (Kerala)

SHRI A. K. RAMACHANDRAN ( Alternate )

SHRI D. M. VILANKAR Sir J. J. Sc

Sir J. J. School of Art, Bombay

SHRI A. M. SHETTY ( Alternate ) DR H. C. VISVESVARAYA,

Director General, ISI ( Ex-officio Member )

Director (Civ Engg)

#### Secretaries

SHRI V. K. GOGNA

Assistant Director (Architecture), ISI

Shri S. P. Maggu

Senior Technical Assistant (Civ Engg), ISI

#### Indian Standard

## CODE OF PRACTICE FOR JOINTS USED IN WOODEN FURNITURE

#### O. FOREWORD

- 0.1 This Indian Standard was adopted by the Indian Standards Institution on 23 November 1966, after the draft finalized by the Furniture Sectional Committee had been approved by the Civil Engineering Division Council.
- 0.2 To ensure satisfactory performance of wooden furniture from the view points of function and strength a series of Indian Standards for wooden furniture are being formulated. Among the important aspects proper joints determine the efficient functioning of furniture. Various types of joints are in use in wood work and the choice of a particular type depends on the situation of its use. This standard has therefore, been prepared to serve as a guide to the wood-worker.
- **0.3** In the formulation of this standard, due weightage has been given to international co-ordination among the standards and practices prevailing in different countries in addition to relating it to the practices in this field in this country.
- 0.4 For the purpose of deciding whether a particular requirement of this standard is complied with, the final value, observed or calculated, expressing the results of a test or analysis, shall be rounded off in accordance with IS: 2-1960\*. The number of significant places retained in the rounded off value should be the same as that of the specified value in this standard.

#### 1. SCOPE

1.1 This standard covers the joints to be used in locations in various types of wooden furniture.

#### 2. WORKMANSHIP

- 2.1 The workmanship and finish of all joints shall be such as to provide proper tightness of fitting.
- 2.2 A joints shall be properly glued before fixing them in position.
- 2.3 Dowels, brackets, glued blocks shall be provided in accordance with the accepted practices in the trade.
- 2.4 The details of the joint, such as type, figure, recommended location and remarks are given in Appendix A.


<sup>\*</sup>Rules for rounding off numerical values (revised).

#### APPENDIX

(Clause 2.4)

## DETAILS OF JOINTS FOR USE IN VARIOUS TYPES OF WOODEN FURNITURE


REMARKS RECOMMENDED ILLUSTRATION SLNAME OR TYPE LOCATION No. OF JOINT Dovetail joint This method is used at Rail to frame Type A1 points of unusual strain joint This method is used at Type A2 (secret dovetail) Rail to frame joint points of unusual strain



Frame joint

This is one of the strongest terminal joints

5



Rail to leg joint


This is a very strong method of joining legs and rails

Type B

RECOMMENDED REMARKS ILLUSTRATION NAME OR TYPE  $S_L$ LOCATION No. OF JOINT Sides joined by this method cannot be Middle frame joint Type D pulled apart Mortise and tenon joint: Rail to frame joint This method gives good Type A results


O

Type B (shouldered)



Rail to frame joint For extra strong joint

Type C



Rail to frame joint This is a particularly strong joint


SL NAME OF TYPE No. OF JOINT

ILLUSTRATION

RECOMMENDED LOCATION REMARKS

3 Dowel joint:


Type A



Rail to frame joint This is one of the easiest joints to make


Note — Number and size of dowels shall be determined by the section and thickness of the members.

8




Middle frame joint This is an easy joint often used by the amateur craftsmen


Type B



Rail to leg joint This method is suitable for amateur craftsmen



Leg to drawer box This method is ideal for units etc home craftsmen




Type D

9

Type C

SL NAME OR TYPE ILLUSTRATION RECOMMENDED REMARKS No. OF JOINT LOCATION WEDGE-Exposed wedge joint The wedge presses the rail and panel tightly together making a very solid joint Rail to frame joint Rabbet joint with dowels Rail to leg joint Joint for attaching front legs to seat rails



Rail to leg joint

Joint for attaching front legs to seat rails


Rail to leg joint

Another joint for front legs and seat rails

## DETAILS OF JOINTS FOR USE IN VARIOUS TYPES OF WOODEN FURNITURE - Contd NAME OR TYPE OF JOINT SL REMARKS ILLUSTRATION RECOMMENDED LOCATION Frame joint This is an excellent joint 8 Lock butt joint to use where accurate fitting is required This joint is stronger than the mitre tongue and groove joint (see Fig. at Sl No. 11) 9 Lock mitre joint Frame joint


12






Frame joint

The closed edges of this joint prevent the cracks which often occur with the box corner joint. This is commonly used in drawer construction



10 Milled corner joint



Frame joint


This joint is frequently used in commercial furniture

SL NAME OR TYPE No. OF JOINT

ILLUSTRATION

RECOMMENDED LOCATION REMARKS

12 Mortise and tenon joint with corner block




Rail to leg joint


The corner block strengthens the joint and is particularly useful in chair construction

NOTE — The tenons should be of the maximum possible length, meeting in the centre in a mitre, wherever practicable.










Rail to leg joint This is another excellent method of attaching legs

14 Stopped dado joint

5




Middle frame joint This is an excellent method of joining certain types of wood work. The mechanics of the joint are not visible from the front

SL NAME OR TYPE No. OF JOINT

ILLUSTRATION

RECOMMENDED LOCATION REMARKS


15 Three-way joint



Rail to leg joint

This is a method of joining the back leg of a chair to the side and back rails of the seat. The joint can be made with either mortise and tenon or dowels. A metal corner is used for reinforcement

16 Through and stopper feather joint




Middle frame joint When properly glued this is a good joint

# IS: 3845 - 1966

17 Wedge and dowel joint:

Type A



unit etc

Leg to drawer box This method may be used to attach legs independent of rails, as well as a leg and rail assembly. After installation wedge is cut flush with the top

> Note - The dowel may also be expanded into a dovetail shaped hole after driving the wedge in position


Leg to furniture joint

This method is similar to the one given above, except that the hole does not run through, and the wedge must be placed in position before the leg is inserted

Type B

SL NAME OR TYPE No. OF JOINT LEUSTRATION

RECOMMENDED LOCATION REMARKS




Leg to assembly joint

After legs and rails have been joined, the assembly is usually attached to the rest of the chair by means of screws inserted in the rail

8

18 Wood screw joint



19 Screw dowel joint

Planks and floor This is a quick method boards of joining planks



#### INDIAN STANDARDS INSTITUTION

#### Headquarters:

Manak Bhavan, 9 Bahadur Shah Zafa	r Marg, NEW DELHI 110002
Telephones: 3310131, 3311375	Telegrams : Manaksanstha
	(Common to all offices)

Regional Offices:	Telephone
*Western : Manakalaya, E9 MIDC, Marol, Andherl (East), BOMBAY 400093	6 32 92 95
tEastern : 1/14 C. I. T. Scheme VII M, V. I. P. Road, Maniktola, CALCUTTA 700054	36 24 99
Southern : C. I. T. Campus, MADRAS 600113	41 24 42
Northern i B69 Phase VII, Industrial Focal Point, S. A. S. NAGAR 160051 (Punjab)	8 73 28
Branch Offices:	
Pushpak', Nurmohamed Shaikh Marg, Khanpur, AHMADABAD 380001	{2 63 48 2 63 49
'F' Block, Unity Bldg, Narasimharaja Square, BANGALORE 560002	22 48 05
Gangotri Complex, Bhadbhada Road, T. T. Nagar, BHOPAL 462003	6 27 16
22E Kalpana Area, BHUBANESHWAR 751014	5 36 27
5-8-56C L. N. Gupta Marg, HYDERABAD 500001	22 10 83
R14 Yudhister Marg, C Scheme, JAIPUR 302005	6 98 32
117/418 B Sarvodaya Nagar, KANPUR 208005	4 72 92
Patliputra Industrial Estate, PATNA 800013	6 23 05
Hantex Bldg (2nd Floor), Rly Station Road, TRIVANDRUM 695001	32 27

Inspection Office (With Sale Point) 1

Institution of Engineers (India) Building, 1332 Shivaji Nagar, 5 24 35 PUNE 411005

<sup>\*</sup>Sales Office in Bombay is at Novelty Chambers, Grant Road, 89 65 28
Bombay 400007
†Sales Office in Calcutta is at 5 Chowringhee Approach, P. O. Princep 27 68 00
Street, Calcutta 700072